

(11) **EP 4 084 435 A8**

(12) CORRECTED EUROPEAN PATENT APPLICATION

(15) Correction information:

Corrected version no 1 (W1 A1) Corrections, see Bibliography Remarks deleted

(48) Corrigendum issued on: **14.12.2022 Bulletin 2022/50**

(43) Date of publication: 02.11.2022 Bulletin 2022/44

(21) Application number: 21170738.5

(22) Date of filing: 27.04.2021

(51) International Patent Classification (IPC):

H04L 29/08 (2006.01) G05B 19/042 (2006.01)

G05B 19/05 (2006.01)

(52) Cooperative Patent Classification (CPC): H04L 67/025; G05B 23/0216; H04L 67/125; G05B 19/042; G05B 2223/06

(84) Designated Contracting States:

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated Extension States:

BA ME

Designated Validation States:

KH MA MD TN

(71) Applicant: OMRON Corporation Shiokoji-dori, Shimogyo-ku, Kyoto-shi Kyoto 600-8530 (JP) (72) Inventors:

- Hasegawa, Naoto Kusatsu City, 525-0027 (JP)
- Morris, Chris Southampton, SO31 1BJ (GB)
- Furseman, Mark Fareham, PO14 1SE (GB)
- (74) Representative: Horn Kleimann Waitzhofer Patentanwälte PartG mbB Ganghoferstraße 29a 80339 München (DE)

(54) DIAGNOSING AND/OR CONTROLLING AN INDUSTRIAL CONTROLLER

(57) A method for diagnosing and/or controlling an industrial controller using a user device, the industrial controller including a web server, the method including: storing, in the web server, diagnostic web pages each including control information for controlling an operation of the industrial controller;

transmitting one of the diagnostic web pages to the user device via a web protocol;

displaying, on the user device, the at least one transmitted diagnostic web page;

receiving, by the user device, modification data input into the user device by a user, the modification data being data specifying a modification in the control information; transmitting the modification data to the web server via the web protocol; and

modifying the at least one diagnostic web page stored in the web server based on the modification data to obtain a modified diagnostic web page having a modified control information.

FIG. 3

