

(11) **EP 4 177 299 A8**

(12) CORRECTED EUROPEAN PATENT APPLICATION

(15) Correction information:

Corrected version no 1 (W1 A1) Corrections, see Bibliography INID code(s) 71

(48) Corrigendum issued on: **08.11.2023 Bulletin 2023/45**

(43) Date of publication: 10.05.2023 Bulletin 2023/19

(21) Application number: 22203708.7

(22) Date of filing: 26.10.2022

(51) International Patent Classification (IPC): C08J 9/30 (2006.01) C04B 24/12 (2006.01) C04B 28/14 (2006.01)

(52) Cooperative Patent Classification (CPC): (C-Sets available)C08J 9/30; C04B 28/14; C04B 2103/304; C04B 2111/0062

(Cont.)

(84) Designated Contracting States:

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC ME MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated Extension States:

BA

Designated Validation States:


KH MA MD TN


(30) Priority: 03.11.2021 PL 43941321

- (71) Applicant: PCC Exol Spolka Akcyjna 56-120 Brzeg Dolny (PL)
- (72) Inventor: BRANDYS, Rafal 51-114 Wroclaw (PL)
- (74) Representative: AOMB Polska Sp. z.o.o. ul. Rondo Ignacego Daszynskiego 1 00-843 Warsaw (PL)

(54) FOAMING AGENT COMPOSITION, MANUFACTURING METHOD OF SUCH COMPOSITION AND USE OF THE COMPOSITON

(57) The invention relates to a foaming agent composition comprising at least one surface-active agent, at least one glycol or a compound of the ether glycol family and at least one block copolymer comprising ethylene oxygen and propylene oxide units, a method of manufacturing such a composition and its use. Due to its properties, the composition according to the invention is particularly useful for aerating gypsum-based products such as plasterboards.








Fig. 1

EP 4 177 299 A8

(52) Cooperative Patent Classification (CPC): (Cont.)

C-Sets

C04B 28/14, C04B 2103/304;

C04B 2103/304, C04B 24/02, C04B 24/2611