

(19)



(11)

**EP 4 296 373 B8**

(12)

**CORRECTED EUROPEAN PATENT SPECIFICATION**

(15) Correction information:

**Corrected version no 1 (W1 B1)**

**Corrections, see**

**Bibliography INID code(s) 73**

(48) Corrigendum issued on:

**26.03.2025 Bulletin 2025/13**

(45) Date of publication and mention  
of the grant of the patent:

**19.02.2025 Bulletin 2025/08**

(21) Application number: **23189043.5**

(22) Date of filing: **04.10.2019**

(51) International Patent Classification (IPC):

**C12Q 1/6806<sup>(2018.01)</sup> C12Q 1/6865<sup>(2018.01)</sup>**

(52) Cooperative Patent Classification (CPC):  
(C-Sets available)

**C12Q 1/6806; C12Q 1/6865; C12Q 1/6876;**  
C12Q 2525/131; C12Q 2525/143; C12Q 2535/122;  
C12Q 2545/101; C12Q 2600/166 (Cont.)

(54) **NORMALIZATION CONTROLS FOR MANAGING LOW SAMPLE INPUTS IN NEXT GENERATION SEQUENCING**

NORMALISIERUNGSSTEUERUNG ZUR VERWALTUNG GERINGER PROBENEINGABEN IN DER  
NEXT-GENERATION-SEQUENZIERUNG

COMMANDES DE NORMALISATION POUR GÉRER DE FAIBLES ENTRÉES D'ÉCHANTILLON  
DANS LE SÉQUENÇAGE DE NOUVELLE GÉNÉRATION

(84) Designated Contracting States:

**AL AT BE BG CH CY CZ DE DK EE ES FI FR GB  
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO  
PL PT RO RS SE SI SK SM TR**

(30) Priority: **04.10.2018 US 201862741466 P**

**11.04.2019 US 201962832560 P**

(43) Date of publication of application:

**27.12.2023 Bulletin 2023/52**

(62) Document number(s) of the earlier application(s) in  
accordance with Art. 76 EPC:

**19794317.8 / 3 861 135**

(73) Proprietor: **Arc Bio, LLC**

**Scotts Valley, CA 95066 (US)**

(72) Inventors:

- **HARNESS, Eric**  
**CA 94086 Sunnyvale (US)**
- **NAGESH, Vaishnavi**  
**MA 02141, Cambridge (US)**
- **BENTLEY, Lloyd Gordon**  
**MA 02141 Cambridge (US)**

- **CARPENTER, Meredith L.**  
**CA 94401 San Mateo (US)**

(74) Representative: **Boult Wade Tennant LLP**

**Salisbury Square House**  
**8 Salisbury Square**  
**London EC4Y 8AP (GB)**

(56) References cited:

- **LESHKOWITZ DENA ET AL: "Using Synthetic Mouse Spike-In Transcripts to Evaluate RNA-Seq Analysis Tools", PLOS ONE, vol. 11, no. 4, 21 April 2016 (2016-04-21), pages e0153782, XP093100733, Retrieved from the Internet <URL:https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4839710/pdf/pone.0153782.pdf> DOI: 10.1371/journal.pone.0153782**
- **SIMON A HARDWICK ET AL: "Spliced synthetic genes as internal controls in RNA sequencing experiments", NATURE METHODS, vol. 13, no. 9, 1 September 2016 (2016-09-01), New York, pages 792 - 798, XP055535717, ISSN: 1548-7091, DOI: 10.1038/nmeth.3958**

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

**EP 4 296 373 B8**

- MAURO D. LOCATI ET AL: "Improving small RNA-seq by using a synthetic spike-in set for size-range quality control together with a set for data normalization", NUCLEIC ACIDS RESEARCH ADVANCE ACCESS, vol. 43, no. 14, 18 August 2015 (2015-08-18), GB, pages e89 - e89, XP055386708, ISSN: 0305-1048, DOI: 10.1093/nar/gkv303

C12Q 2545/113;  
C12Q 1/6865, C12Q 2525/131, C12Q 2525/143,  
C12Q 2535/122, C12Q 2545/101

(52) Cooperative Patent Classification (CPC): (Cont.)

C-Sets

C12Q 1/6806, C12Q 2525/131, C12Q 2525/143,  
C12Q 2525/204, C12Q 2535/122, C12Q 2545/101,