# 

## (11) **EP 4 509 322 A3**

(12)

#### **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3: **07.05.2025 Bulletin 2025/19** 

(43) Date of publication A2: 19.02.2025 Bulletin 2025/08

(21) Application number: 24220214.1

(22) Date of filing: 10.11.2021

(51) International Patent Classification (IPC): **B41J 29/13** (2006.01) **B41J 15/04** (2006.01)

(52) Cooperative Patent Classification (CPC): B41J 11/04; B41J 15/04; B41J 15/042; B41J 29/13

(84) Designated Contracting States:

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

(30) Priority: **18.11.2020 JP 2020191645 27.09.2021 JP 2021156365** 

(62) Document number(s) of the earlier application(s) in accordance with Art. 76 EPC: 21894535.0 / 4 249 277

(71) Applicant: Sato Holdings Kabushiki Kaisha Tokyo 108-0023 (JP)

(72) Inventors:

 SHIOYA, Takashi Tokyo 108-0023 (JP)

 KATAYAMA, Tamotsu Tokyo 108-0023 (JP)

(74) Representative: Grünecker Patent- und Rechtsanwälte
PartG mbB
Leopoldstraße 4
80802 München (DE)

#### (54) **PRINTER**

(57) A printer comprising: a body case that includes a placement surface for the printer and an accommodating chamber for accommodating a roll body into which a belt-shaped print medium are wound; a printer cover configured to open and close the accommodating chamber; a platen roller that is attached to the printer cover and configured to convey the belt-shaped print medium drawn out of the roll body; and a hinge that includes a hinge shaft and is configured to couple the printer cover with the body case so that the printer cover is swingable about the hinge shaft relative to the body case, wherein the printer cover comprises an upper surface portion, a rear surface portion and an inclined surface portion, the inclined surface portion being provided between the

hinge shaft and the upper surface portion and inclined relative to the placement surface, and H1 < H2 is established where H1 is defined as a height from the placement surface to the hinge shaft and H2 is defined as a height from the placement surface to a highest position from the hinge shaft to the upper surface portion, wherein in a side view the inclined surface portion and the upper surface portion continue to the side of the rear surface portion apposite to the hinge, wherein the rear surface portion and the inclined surface portion are connected at an obtuse interior angle and the inclined surface portion are connected at an obtuse interior angle.




FIG.29



### **EUROPEAN SEARCH REPORT**

**Application Number** 

EP 24 22 0214

1		

		DOCUMENTS CONSID	ERED TO BE RELEVANT		
	Category	Citation of document with it of relevant pass	ndication, where appropriate, sages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
	X Y	US 2017/291438 A1 ( 12 October 2017 (20 * paragraphs [0003]		1,2,4-7 3	INV. B41J29/13 B41J11/04 B41J15/04
	Y	AL) 28 July 2005 (2	(MATSUI MOTOYUKI [JP] ET 2005-07-28) - [0015]; figure 17 *	3	
	A	JP 2007 176007 A (C 12 July 2007 (2007- * the whole document	CANON DENSHI KK) 07-12)	1-7	
					TECHNICAL FIELDS SEARCHED (IPC)
1		The present search report has	•		
£		Place of search	Date of completion of the search		Examiner
304C0		The Hague	25 March 2025	Bit	ane, Rehab
EPO FORM 1503 03.82 (P04C01)	X : part Y : part doci A : tech O : non	ATEGORY OF CITED DOCUMENTS iicularly relevant if taken alone iicularly relevant if combined with anotument of the same category includical background rewritten disclosure rmediate document	E : earlier patent doc after the filing dat ther D : document cited ir L : document cited fo	ument, but publise the application r other reasons	shed on, or

#### EP 4 509 322 A3

# ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 24 22 0214

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

25-03-2025

10		atent document d in search report		Publication date		Patent family member(s)	Publication date
	US	2017291438	A1	12-10-2017	EP	3238947	01-11-2017
					JP	6578099	18-09-2019
5					JР	2016120666	07-07-2016
					បន	2017291438	12-10-2017
					WO	2016104562	30-06-2016
	US	2005162497	A1	28-07-2005	EP		03-08-2005
0					US	2005162497	28-07-2005
		2007176007				4723998	13-07-2011
					JP	2007176007	12-07-2007
-							 
5							
;							
;							
5							
65 651							
5							